### University of Texas Rio Grande Valley

## ScholarWorks @ UTRGV

Health & Human Performance Faculty Publications and Presentations

**College of Health Professions** 

6-2015

# Design, validation, and reliability of survey to measure female athlete triad knowledge among coaches

Jillian E. Frideres

Sue G. Mottinger

Jose M. Palao

Follow this and additional works at: https://scholarworks.utrgv.edu/hhp\_fac

Part of the Sports Studies Commons

### Original article (short paper) Design, validation, and reliability of survey to measure female athlete triad knowledge among coaches

Jillian E. Frideres Universidad de Murcia, Murcia, Spain

Sue G. Mottinger University of Texas Pan American, Edinburg, TX, United States

> José M. Palao Universidad de Murcia, Murcia, Spain

Abstract—The purpose of this study was to design and to test the validity and reliability of an instrument to evaluate coaches' knowledge about the *female athlete triad syndrome* and their confidence in this knowledge. The instrument collects information regarding: knowledge of the syndrome, components, prevention and intervention; confidence of the coaches in their answers; and coach's characteristics (gender, degree held, years of experience in coaching females, continuing education participation specific to the syndrome and its components, and sport coached). The process of designing the questionnaire and testing the validity and reliability of it was done in four phases: a) design and development of the instrument, b) content validity, c) instrument reliability, and d) concurrent validity. The results show that the instrument is suitable for measuring coaches' *female athlete triad* knowledge. The instrument can contribute to assessing the coaches' knowledge level in relation to this topic.

Keywords: sport, health, prevention, evaluation

**Resumo**—"Desenho, validação e fiabilidade da pesquisa para avaliar o conhecimento dos treinadores sobre a tríade da mulher atleta." O objetivo do estudo foi desenhar e testar a validação e fiabilidade do instrumento para avaliar o conhecimento que os treinadores possuem acerca da tríade da mulher atleta. O instrumento de coleta de informações sobre: conhecimento da tríade, componentes, prevenção e intervenção; confiança dos treinadores em suas respostas; características dos treinadores (gênero, formação acadêmica, anos de experiência em treino com atletas femininas, participação em formações específicas na tríade e componentes da tríade e treino desportivo). O desenho e o teste de validação e fiabilidade do questionário foram realizados em quatro fases: a) desenho e desenvolvimento do instrumento; b) validação do conteúdo; c) fiabilidade do instrumento e; d) validade concorrente. Os resultados mostraram que o instrumento é adequado para mensurar o conhecimento dos treinadores sobre a tríade da mulher atleta. O instrumento pode contribuir para a avaliação do nível de conhecimento dos treinadores relativamente ao tema.

Palavras-chave: desporto, saúde, prevenção, avaliação

**Resumen**—"Diseño, validez, y fiabilidad de un instrumento para medir el conocimiento sobre la triada atlética femenina en entrenadores." El objetivo del este estudio fue diseñar y comprobar la validez y fiabilidad de un instrumento para evaluar el conocimiento sobre el síndrome de la triada atlética femenina y la confianza de su conocimiento que los entrenadores tienen. El instrumento recoge información sobre: conocimiento sobre el síndrome, componentes, prevención e intervención; confianza de los entrenadores en sus respuestas, y las características de los entrenadores (género, formación, años de experiencia entrenando mujeres, participación en programas de formación sobre la triada y sus componentes, y deporte que entrenan). El diseño y comprobación de la validez y fiabilidad del cuestionario se realizó en cuatro fases: a) diseño y desarrollo del instrumento, b) validación de contenidos; c) fiabilidad del instrumento; y d) validez concurrente. Los resultados muestran que el instrumento es adecuado para valorar el conocimiento de los entrenadores sobre el síndrome de la triada atlética femenina. El instrumento puede contribuir a valorar el conocimiento de los entrenadores con respecto a este tema.

Palabras claves: deporte, salud, prevención, evaluación

#### Introduction

The "female athlete triad" syndrome involves three components: low energy availability, sometimes associated with disordered eating, menstrual dysfunction, and low bone mineral density (Barrack, Ackerman, & Gibbs, 2013; Hobart, 2000; Otis, Drinkwater, Johnson, Loucks, & Wilmore, 1997; Smith, 1996). This syndrome often starts when an athlete consciously or unconsciously decreases her caloric intake or increases her energy expenditure (Sundgot-Borgen, 1994). As a result of low energy availability, menstrual function is altered (Barrack, Ackerman, & Gibbs, 2013; Otis et al., 1997; Rust, 2002). The decreased estrogen level leads to lower bone mineral density, osteopenia or osteoporosis. The *female athlete triad syndrome* can have serious long-term consequences (e.g. pathogenic behaviors, full-fledged eating disorders, hormonal issues, and loss of bone density) for which treatment can be difficult (Thompson & Gabriel, 2004). The ideal treatment plan is multdisciplinary in nature. Thus, prevention is widely regarded as the key to combating the syndrome (Beals, Brey, & Gonyou, 1999; Joy, et al., 1997a; Rust, 2002). Prevention is where coaches can play an important role. Coaches create the training environment and they are a key piece in preventive measures or screening (Eagle, Lohman, & Jarman, 2013; Joy et al., 1997a; Sherman, Thompson, Dehass, & Wilfert, 2005).

The female athlete triad syndrome is a relatively new issue. It is not clear what coaches know about the syndrome (low energy availability, menstrual dysfunction, and low bone mineral density), its effects, risk factors, or their roles as coaches in the prevention of this syndrome. Along these lines, some national governing bodies have considered mandatory education for coaches (governing bodies not cited; Joy et al., 1997b). Previous research has been focused on coaches' knowledge regarding nutrition, parts of the triad, or their attitudes or actions (Froiland, Koszewski, Hingst, & Kopecky, 2004; Jacobson, Sobonya, & Ransone, 2001; Joy et al., 1997a; Juzwiak & Ancona-Lopez, 2004; Pantano, 2006; Sossin et al., 1997; Troy, Hoch, & Stavrakos, 2006). These studies shows coaches are aware of the menstrual problems of their athletes and identified more symptomatic athletes (Sherman, et al., 2005) but also that they recommend dangerous weight control practices (Juzwiak & Ancona-Lopez, 2004). Further, some coaches do not have enough knowledge about the syndrome (Troy, et al., 2006; Pantano, 2006). Thus, it is not clear whether coaches are prepared to provide information and to set proper and safe training environments for their athletes and teams.

Information regarding what coaches know about the syndrome is critical for establishing the need for specific training on the issue and the characteristics of the training program. Most instruments used to measure coaches' knowledge involve asking coaches about the perceptions of their knowledge, including few questions about the syndrome, or they focus on one of the components (low energy availability, menstrual dysfunction, or low bone mineral density) or aspects (effects, signs, or recognition) of the syndrome. Carrying out educational programs and monitoring coaches' knowledge needs require an instrument to measure this knowledge at different

levels, such as the *syndrome*, its components (characteristics and effects), how to prevent it, and how to intervene. This instrument will allow us to establish whether coaches have the knowledge and training to assist in preventing and referring this problem or whether their specific continuing education program is working. To best estimate the coaches' receptiveness toward receiving training, the effect of the program, or the measurement of the application of the coaches' knowledge, an instrument should also evaluate the confidence that coaches have in their knowledge (Turk, Prentice, Chappell, & Shields Jr., 1999; Vaughan, King, & Cottrell, 2004). Without confidence in one's knowledge, the step from knowledge to application is more difficult or even dangerous, as without accurate knowledge they can create risky situations (Wozney, Venkatesh, & Abrami, 2006). This instrument can provide information about the factors influencing coaches' knowledge, such as sociodemographic characteristics, experiences, education, etc. Therefore, the purpose of this study was to design, validate, and test the reliability of an instrument to assess the knowledge that coaches have about the female athlete triad syndrome and the confidence they have in this knowledge.

#### Methods

#### Sample

The sample for the content validity was nine experts. All experts held a PhD, MD, or similar degree and had at least 5 years of experience carrying out research related to the *female athlete triad syndrome* or one of its components or treating female athletes. The experts were from the following fields: medicine/family practice, nutrition, physical therapy, gynecology, eating disorder recovery, triad research in athletes, coaching female athletes, and sport psychology.

The sample for the reliability test was 12 coaches. The characteristics of this group of coaches were: an average age of  $39.4\pm11.2$  years, an average coaching experience at the college level of  $11.3\pm7.7$  years, 41.6% were female, and all coaches had a university degree.

The sample for the concurrent validity were 45 college coaches from an endurance sport that emphasized weight control (cross-country) and 63 coaches from a sport that theoretically does not emphasize weight control (basketball) in the 2006-2007 season. All coaches were from the athletics department of an American Division I university. The characteristics of this group of cross country coaches were: an average age of  $40.8\pm13.1$  years, an average coaching experience at the college level of  $12.4\pm9.2$  years, 37.8% were female, and all coaches had a university degree. The characteristics of this group of basketball coaches were: an average age of  $36.6\pm9.2$  years, an average coaching experience at the college level of  $10.3\pm8.3$ years, 58.8% were female, and all coaches had a university degree. The study was approved by the University of Texas-Pan American Institutional Review Board (IRB#500; 2007/04/24).

#### Procedures

There were four phases in the process of designing the questionnaire and testing the validity and reliability of it: a) design and development of the instrument, b) testing the content validity, c) testing the instrument reliability, and d) testing the concurrent validity (Trochim & Donnelly, 2007).

The first phase, the design and development of the instrument, involved the use of specific literature about the *female* athlete triad syndrome and knowledge instruments related to the topic. Reviews in the following databases were done: Web of Knowledge (WOK) of ISI (Thomson), Medline, SPORTDiscus, Google Scholar, Sponet, Scielo, and Dialnet. The key word searches included: "female athlete triad," "eating disorders," "amenorrhea," "osteoporosis," "knowledge," and "coaches" (as well as equivalents in Portuguese and Spanish for the Scielo and Dialnet databases, respectively). Abstracts were reviewed to select the papers related to the *female athlete triad syndrome*. The criterion followed to select the article was that it studied coaches' or athletes' knowledge regarding the female athlete triad syndrome or its components. Several articles and surveys were selected from the literature regarding nutrition, the components of the syndrome, or coaches' attitudes or actions regarding the components of the syndrome (Beals, et al., 1999; Bradney, 2002; Hobart, 2000; Juzwiak & Ancona-Lopez, 2004; Joy et al., 1997a; Joy et al., 1997b; Lassiter, 2002; Martínez-Pecino, Mulas-Sánchez, Fernández-Palacín, & Bayón-Suárez, 1997; Sossin et al., 1997; Turk, 1995). After reviewing the bibliography, the parts and topics of the instrument were established (Table 1). Several instruments (Bradney, 2002; Lassiter, 2002; Martínez-Pecino, et al., 1997; Turk, 1995) and literature about creating an original instrument (Hague, Hague, & Morgan, 2004; Thomas, 2004) were used as guides to design the instrument presented in this article.

From the review of the literature and the surveys that were used in empirical research that were found in the literature, the outline of the survey and the first draft of questions were established (Table 1). Questions were designed to ask about these aspects and about the coaches' characteristics. The aspects were grouped into: a) knowledge of the syndrome, components, prevention and intervention; b) coaches' confidence in their responses (coaches' perception of the adequacy of their answers); and c) coaches' characteristics (gender, degree held, years of experience in coaching females, continuing education participation specific to the syndrome and its components, and sport coached). Finally, questions about the sample's characteristics (ethnicity, number of coaches in their program, experience, level of competition, sport, and formal training) were also included. For the questions related to sociodemographics of the coaches, multiple choice items were used, except for questions related to degree held, number of coaches in program, and number of years coaching females, where the possibility to type in the answer was given. For the questions related to knowledge, multiple choice, and true/false were used, depending on the objective. A 4-point Likert scale was provided to determine level of confidence: 1) not at all confident; 2) somewhat confident; 3) confident; and 4) completely sure.

The evaluation of the level of confidence was included to measure the confidence the coach had in his or her knowledge (Turk, 1995), as a low level of confidence has been related to a lack of application of one's knowledge (Bandura & Wood, 1989). Knowledge and confidence level were taken into account to calculate the overall knowledge score. A correct answer with the highest confidence resulted in the highest weighted score for that question, while an incorrect answer with the highest confidence resulted in the lowest weighted score (Table 2). In fact, this score was lower than answering "don't know", as it is potentially dangerous to have inaccurate information but to believe that it is correct. The overall score was between -35.00 and 35.00.

In the second phase, nine experts in fields related to at least one of the components of the syndrome provided input regarding the instrument. The experts evaluated the qualitative (open questions) and quantitative questions (scale from 1 to 10) from the survey regarding: degree of definition and understanding of the survey's questions; degree of adequacy of the survey's questions, the scale used, and the need to include more questions in the survey. The collective suggestions from the experts were considered and the appropriate changes were made.

Table 1	. Structure of	the survey	(parts and t	opics of the	different ques	stions of the	e survey) and	l references used	to develop the survey.
---------	----------------	------------	--------------	--------------	----------------	---------------	---------------	-------------------	------------------------

Parts of the survey	Survey question number(s)	
Coaches' information	1-11 267910	
Knowledge questions	12-42	
Definition of the syndrome and/or components	12, 17-19, 21-22 13710	
Effects of the syndrome and/or components	14, 20, 23, 24, 30 <sup>1367</sup>	
Population and incidence of the syndrome and/or components	13, 25 1 3 7	
Risk factors and detection of the syndrome	16, 26 <sup>234710</sup>	
Causes of the syndrome and/or components	27, 33 1 3 4 7 9 10	
Signs and symptoms of the syndrome and/or components	15, 29, 31 <sup>1347910</sup>	
Prevention of the syndrome and/or components	28, 32, 34-38 <sup>15710</sup>	
Intervention	39-42 <sup>5 9</sup>	
Coaches' formation and continuing education	43-50 8910	

<sup>1</sup> Beals, Brey, & Gonyou (1999); <sup>2</sup> Bradney (2002); <sup>3</sup> Hobart (2000); <sup>4</sup> Joy *et al.* (1997a); <sup>5</sup> Joy *et al.* (1997b); <sup>6</sup> Juzwiak & Ancona-López (2004); <sup>7</sup> Lassiter (2002);

<sup>8</sup> Martínez-Pecino, et al. (1997); <sup>9</sup> Sossin et al. (1997); <sup>10</sup> Turk (1995).

autor 2. Culculation of points for salvey.						
Given Answer	1	2	3	4		
Correct answer	.25	.50	.75	1.0		
Incorrect answer	25	50	75	-1.0		
		Don't k	now = 0			

#### Table 2. Calculation of points for survey

In the third phase, the reliability of the instrument was calculated. The questionnaire was sent to selected college coaches of an NCAA Division II program by e-mail. Twelve coaches completed the test-retest process. A final section allowing for comments took into consideration their understanding of the questionnaire, the time taken to complete the survey, and questions or concerns they had with the instrument. One week after completing the instrument, the questionnaire was sent back to the same sample of coaches for test-retest procedures for determining instrument reliability.

In the fourth phase, we measured the ability of the instrument to differentiate between coaches of different types of sport (Trochim & Donnelly, 2007). The type of sport was established using the classification by Rust (2002). Forty-five coaches from an endurance sport that emphasized weight control (cross-country) and 63 coaches from a sport that theoretically does not emphasize weight control (basketball) were analyzed (2006-2007 season). The survey was sent to the coaches by e-mail. The coaches' e-mails were obtained from their websites. Fifty percent of NCAA Division I intercollegiate universities were selected randomly from the NCAA website. The response rate was 15% for cross country and 11.9% for basketball.

#### Statistical analysis

To test the content validity of the instrument, a descriptive analysis of coaches' responses (mean, median, and mode) was also done. Following Bulger and Housner (2007), questions with values lower than 7.0 were eliminated, questions with values between 7.1 and 8.0 were modified, and questions with values greater than 8.0 were accepted or accepted with modifications. With the values from the quantitative evaluation done by the experts, the Aiken's V was calculated (Penfield & Giacobbi, 2004).

The reliability of each item of the instrument was calculated using the Kappa Index for each of the questions (categorical variables). To test the ability of the instrument to differentiate between coaches of different types of sport (concurrent validity), an inferential analysis of the data (one-factor ANOVA) was done to establish whether there were differences between coaches of both types of sport using the SPSS 15.0 software with a level of statistical significance set at p < .05.

#### Results

The draft of the survey had 48 questions after the first phase. The survey comprised three parts: a) 10 questions related to the coaches' characteristics, b) 30 questions related to knowledge of the *syndrome*, and c) 8 questions related to coaches' education and continuing education. The knowledge questions were subdivided into seven parts: a) definition of the *syndrome* and/or components, b) effects of the *syndrome* and/or components, c) population and incidence of the *syndrome*, e) causes of the *syndrome* and/or components, f) signs and symptoms of the *syndrome* and/or components, g) prevention of the *syndrome* and/or components, and h) intervention.

After reviewing the experts' evaluation of the draft of the survey, one question related to knowledge was eliminated, three questions were added, two questions were merged, and 12 questions were modified. The experts' observations were related to the terms used, the need to clarify the terminology and questions, and expressing the questions and the scale in a positive way. All questions of the draft of the survey at this phase had an average score > 7.0. Aiken's V from the quantitative evaluation of the experts was calculated. The Aiken's *V* was pertinent (>.84 for the lowest value).

From the score of the test-retest process that was carried out with 12 coaches of an NCAA Division II program, the total reliability of the questionnaire was calculated (the smallest of these calculations). An intra-class correlation coefficient of .68 was found. Regarding the ability of the instrument to differentiate theoretically different groups of coaches (Table 3), significant differences were found in the knowledge score of the coaches of an endurance sport that emphasizes weight and coaches of a sport that theoretically does not emphasize weight. Further, significant differences were found in the education received about this topic, this interest in this topic, and the coaches' involvement (p < .000). The final version of the survey is included (Appendix).

Table 3. Knowledge score and average confidence based on type of sport coached.

	Sc	core	Conf	idence
Type of sport	Average	Percentage	Average	Percentage
Endurance sport that emphasizes weight	18.24 ***	76.07	3.15 ***	78.70
Sport that does not emphasize weight	12.93 ***	68.48	2.68 ***	67.12

\*\*\* *p* < .000 (One-factor ANOVA).

#### Discussion

The results show that the instrument is suitable for measuring coaches' *female athlete triad syndrome* knowledge. Coaches have an important role in creating safe training environments and providing preventive measures or screening to reduce the incidence of the female athlete triad *syndrome* (Eagle, *et al.*, 2013; Joy *et al.*, 1997a; Sherman, *et al.*, 2005). Given that this *syndrome* is a relatively new issue for coaches; the instrument can provide information about the coaches' knowledge about this topic. The instrument allows us to collect information regarding the coaches' characteristics, their education and continuing education, and about their specific knowledge about the *female athlete triad syndrome* (components, effects, risks, signs, causes, prevention, and intervention).

The instrument allows us to obtain information about coaches' knowledge regarding a basic perspective (definition, effects, or risks), regarding an applied perspective (how to detect environments that can foster the *syndrome*, signs and symptoms, prevention, and/or steps to take if a case is detected), and coaches' knowledge confidence. The knowledge about the coaches' confidence provides us information about their receptiveness as well as their knowledge perception. All this information can help us understand coaches' need for knowledge. The instrument can also be used to measure the effect of educational programs or to obtain information about the knowledge of coaches from different sports, levels, or characteristics. This information provides data that could be useful for planning and implementing educational training for the specific needs of these populations.

Specifically, regarding the validity and reliability process, the procedures that were followed combined the experts' evaluation with testing the instrument with a group of coaches. The coaches' evaluation involved qualitative and quantitative assessments of the instrument, thus allowing us to combine the advantages of both types of assessment. Their evaluations helped to develop the instrument by contributing to establishing the adequacy, level of understanding, and terminology (Bulger & Housner, 2007; Escurra, 1989; Padilla, Gómez, Hidalgo & Muñiz, 2007; Zhu *et al.*, 1998). The experts positively evaluated the inclusion of the confidence in the questions to assess the coaches' perception about their knowledge.

The reliability of the instrument (test-retest procedure) was "*substantial*" and pertinent (Landis & Koch, 1977). The value of the intra-class correlation coefficient that was found may be affected by coaches either doubting their responses after completing the survey or reviewing information about the topic. The reliability was tested with an online survey, as those were the conditions under which the survey was going to be administered in the future. However, this procedure may involve a lack of control over the conditions in which the coaches completed the survey. On the other hand, it was done in a more natural situation.

The findings regarding the concurrent validity show the ability of the instrument to differentiate between groups that, in theory, are different. Theoretically, coaches and athletes from sports with a higher incidence of the *female athlete triad syndrome* or some of its components should have received

more information about it, be more aware of it, and have more experience with it (Eagle, *et al.*, 2013; Joy *et al.*, 1997a; Sherman, *et al.*, 2005). The results show coaches of a sport with a higher incidence of the *female athlete triad syndrome* had higher knowledge scores as well as more confidence in their responses. However, these findings need to be carefully considered due to the response rate (11-15%). The response rate was 15% lower than similar research (Pantano, 2006). These may demonstrate bias in the data, as only coaches interested in the topic may have responded. Still, findings would show differences between coaches interested in the topic in both sports.

The process that was followed and the data found show that this instrument is suitable for measuring coaches' female athlete triad syndrome knowledge in college coaches. This instrument can be used by researchers, athletic directors, and/ or coaches to evaluate the need for specific education as well as the effect of educational training done by the coaches. This instrument lets us monitor the knowledge of this topic, detect the need for education by coaches, and assess the effect of continuing education as well as the evolution of this knowledge over time. Performance sport involves the risk of developing unhealthy behaviors. The role of coaches must be proactive to avoid these problems. Knowledge of and involvement in prevention are key aspects in reducing health problems in sport. The instrument that was developed and validated in this paper can contribute to knowing how the coaches' knowledge level is related to this topic.

Limitations and future research

The instrument design and the processes of validation and reliability that were carried out are only the first steps in the process of developing an instrument due to these steps being carried out in a specific sample. Testing it in other populations, obtaining reference values, and translating it to other languages is needed. Coaches have an important role in the health of their athletes (Eagle, *et al.*, 2013; Joy *et al.*, 1997a; Sherman, *et al.*, 2005). They must be aware of possible health issues. The present instrument can be used to obtain information regarding coaches' knowledge, to study the effect of specific educational training, or to study the relationship between knowledge and application (information provided, training environment, or stress perceived by athletes).

#### References

- Bandura, A., & Wood, R.E. (1989). Effects of perceived controllability and performance standards on self-regulation of complex decision -making. *Journal of Personality and Social Psychology*, 56, 805-814.
- Barrack, M.T., Ackerman, K.E., & Gibbs, J.C. (2013). Update on the female athlete triad. *Current Reviews in Musculoskeletal Medicine*, 6, 195-204.
- Beals, K.A., Brey, R.A., & Gonyou, J.B. (1999). Understanding the female athlete triad: Eating disorders, amenorrhea, and osteoporosis. *The Journal of School Health*, 69, 337-340.
- Bradney, D. (2002). Attitudes of coaches regarding eating disorders. Unpublished doctoral dissertation, Springfield College, Springfield, MA.
- Bulger, S.M., & Housner, L.D. (2007) Modified Delphi investigation of exercise science in physical education teacher education. *Journal*

of Teaching in Physical Education, 26, 57-80.

- Eagle, S.R., Lohman, C., & Jarman, N. (2013). Enhancing knowledge of nutrition and prevention in medical professionals and coaches: the key to defeating the Female Athlete Triad. *Journal of Athletic Medicine*, 1, 23-36.
- Escurra, L. (1989). Cuantificación de la validez de contenido por criterio de jueces [Quantification of content validity through judge criteria]. *Revista de Psicología*, 6, 103-111.
- Froiland, K., Koszewski, W., Hingst, J., & Kopecky, L. (2004). Nutritional supplement use among college athletes and their sources of information. *International Journal of Sport Nutrition and Exercise Metabolism, 14*, 104-120.
- Hague, P., Hague, N., & Morgan, C. (2004). Market research in practice: A guide to the basics. London: Kogan Page.
- Hobart, J.A. (2000). The female athlete triad. American Family Physician, 61, 3357-3364.
- Jacobson, B.H., Sobonya, C., & Ransone, J. (2001). Nutrition practice and knowledge of college varsity athletes: A follow-up. *Journal of Strength and Conditioning Research*, 15, 63-68.
- Joy, E., Clark, N., Ireland, M. L., Martire, J., Nattiv, A., & Varechok, S. (1997a). Team management of the female athlete triad: Part 1: What to look for, what to ask. *The Physician and Sportsmedicine*, 25, 94-102.
- Joy, E., Clark, N., Ireland, M.L., Martire, J., Nattiv, A., & Varechok, S. (1997b). Team management of the female athlete triad: Part 2: Optimal treatment and prevention tactics. *The Physician and Sportsmedicine*, 25, 55-64.
- Juzwiak, C.R., & Ancona-Lopez, F. (2004). Evaluation of nutrition knowledge and dietary recommendations by coaches of adolescent Brazilian athletes. *Journal of Sport Nutrition and Exercise Metabolism, 14*, 222-235.
- Landis, J.R., & Koch, G.G. (1977). The measurement of observer agreement for categorical data. *Biometrics*, 33, 159–174. doi:10.2307/2529310
- Lassiter, J.W. (2002). A survey of student coaches' knowledge, attitudes, skills, and behaviors regarding the female athlete triad. Unpublished master's thesis, State University of New York College at Brockport.
- Martínez-Pecino, M., Mulas, M.Y., Fernández, F., & Bayón, F. (1997). Encuesta a los médicos internos residentes de rehabilitación sobre su formación. *Rehabilitación*, 31, 17-22.
- Otis, C.L., Drinkwater, B., Johnson, M., Loucks, A., & Wilmore, J. (1997). ACSM position stand: The female athlete triad. *Medicine* and Science in Sports and Exercise, 29, 1-9.
- Padilla, J.L., Gómez, J., Hidalgo, M.D., & Muñiz, J. (2007). Esquema conceptual y procedimientos para analizar la validez de las consecuencias del uso de los test [Conceptual diagram and procedures to analyze the validity of the consecuences of test use]. *Psicothema*, 19, 173-178.
- Pantano, K.J. (2006) Current knowledge, perceptions, and interventions used by collegiate coaches in the US regarding the prevention and treatment of the female athlete triad. North American journal of sports physical therapy: NAJSPT, 1, 195.
- Penfield, R.D., & Giacobbi, P.R. (2004) Applying a score confidence interval to Aiken's item content-relevance index. *Measurement in Physical Education and Exercise Science*, 8, 213-225.
- Rust, D.M. (2002). The female athlete triad: Disordered eating, amenorrhea, and osteoporosis. *The Clearing House*, *75*, 301-305.
- Sherman, R.T., Thompson, R.A., Dehass, D., & Wilfert, M. (2005). NCAA coaches survey: The role of the coach in identifying and managing athletes with disordered eating. *Eating Disorders*, *13*, 447-466.
- Smith, A.D. (1996). The female athlete triad: Causes, diagnosis, and treatment. *The Physician and Sportsmedicine*, 24, 67-73.
- Sossin, K., Gizis, F., Marquart, L.F., & Sobal, J. (1997). Nutrition be-

liefs, attitudes, and resource use of high school wrestling coaches. *International Journal of Sport Nutrition*, *7*, 219-228.

- Sundgot-Borgen, J. (1994). Risk and trigger factors for the development of eating disorders in female elite athletes. *Medicine and Science in Sports and Exercise*, *26*, 414-419.
- Thomas, S.J. (2004). Using web and paper questionnaires for data-based decision making: From design to interpretation of the results. Thousand Oaks, CA: Corwin Press.
- Thompson, S.H., & Gabriel, M. (2004). Risk factors for the female athlete triad among female collegiate and non-collegiate athletes. *Physical Educator*, 61, 200-212.
- Trochim, W., & Donnelly, J.P. (2007). The research methods knowledge base (3rd Edition). Mason, OH: Cengage Learning-Atomic Dog.
- Troy, K., Hoch, A.Z., & Stavrakos, J. (2006). Awareness and comfort in treating the female athlete triad: are we failing our athletes? WMJ-MADISON, 105, 21.
- Turk, J.C. (1995). Collegiate coaches' knowledge of eating disorders. Unpublished master's thesis, University of North Carolina at Chapel Hill.
- Turk, J.C., Prentice, W.E., Chappell, S., & Shields Jr, E.W. (1999). Collegiate coaches' knowledge of eating disorders. *Journal of athletic training*, 34, 19-24.
- Vaughan, J.L., King, K.A., & Cottrell, R.R. (2004). Collegiate athletic trainers' confidence in helping female athletes with eating disorders. *Journal of athletic training*, 39, 71-76.
- Wozney, L., Venkatesh, V., & Abrami, P. (2006). Implementing computer technologies: Teachers' perceptions and practices. *Journal* of Technology and teacher education, 14, 173-207.
- Zhu, W., Ennis, C. D., & Chen, A. (1998) Many-faceted Rasch modelling expert judgment in test development. *Measurement in Physical Education and Exercise Science*, 2, 21-39.

### Authors' note

Jillian E. Frideres and José M. Palao are affiliated with the Department of Physical Activity and Sport, University of Murcia (*Universidad de Murcia*), Spain.

Sue G. Mottinger is a retired Associate Professor, Department of Health & Kinesiology, The University of Texas Pan American, Edinburg, Texas, United States.

#### Corresponding author

Jillian E. Frideres

Av. Reina Sofia, 32. Guadalupe, 30107, Murcia, Spain. Phone: +34 968 90 41 34; Fax: +34 968 30 86 58 E-mail: jefrideres@gmail.com

Manuscript received on May 24, 2014 Manuscript accepted on March 10, 2015



Motriz. The Journal of Physical Education. UNESP. Rio Claro, SP, Brazil - eISSN: 1980-6574 – under a license Creative Commons - Version 3.0

**Appendix** Questionnaire to measure coaches' female athlete triad knowledge

Please answer the following demographic and experiential questions. Unless otherwise noted, please choose one answer per question.

Date of birth (choice of month, date, year):
Gender:
Ethnic group
A City Application
Asian
Native American
□ Other
Highest degree completed:
High school diploma / GED
□ Associate's Degree
Bachelor's Degree Major area of study: Year:
□ Master's Degree Major area of study: Year:
Doctoral Degree Major area of study: Year: Year:
Sport(s) currently coaching at this level. Indicate the sport by checking the box then type the number of years* coaching this sport (if appro-
priate, choose more than one):
*Please enter years in a numerical format.
□ Cross country □ Field hockey □ Soccer □ Volleyball
$\Box$ Baskethall $\Box$ Bowling $\Box$ Fencing $\Box$ Ice hockey
Rifle Waterpolo Rowing
$\Box$ Track & field $\Box$ Golf $\Box$ Lacrosse $\Box$ Softball
Transic Swimming Diving Diving
Uranting Commission Commission
Li wiesunig in Goldani in Basea also mark which trial(a):
- Sprinter - Throws
L Spints L Junps L Inows
Hurdles 0 Multi-events Walk
$\square$ Middle & long distance (800 m and above)
Current position:
Head coach
Assistant coach
Graduate assistant
Student (undergraduate) coach
Number of years coaching at this level (including this year)?
Sports coached in your lifetime (please check all that apply)?
$\Box$ Cross country $\Box$ Field hockey $\Box$ Soccer $\Box$ Volleyball
Baskethall Bowling Fencing Leebockey
Bide Skiing Waterpolo Bowing
$\Box$ Track & field $\Box$ Golf $\Box$ Lacross $\Box$ Softball
There is a swimming Diving Diving Diving Diving
$\Box Wrestling \Box Exothall \Box Basaball \Box Other$
Lifuon have accorded track and field measure also meril which trial(a):
Solities coached track and netd, please also mark which trians).
U Sprints U Julips U Throws
$\Box \text{ Hurdies} \qquad \Box \text{ Multi-events} \qquad \Box \text{ Walk}$
□ Ivilddle & long distance (800 m and above)
Iotal number of years you have coached (regardless of level, sport, & gender of athletes) :
a strategy we have a strategy of the strategy of t

Number of coaches in your current program (including yourself):	
Full time Partial time	
Assistant coach	
Graduate assistant	
Student (undergraduate) coach	
Knowledge of the triad	
Please complete the following statements. Next to the answer please in following scale: 1 = Not at all confident	idicate the level of confidence you have in its correctness using the
2 = Somewhat confident 3 = Confident	
4 = Completely sure Example: There are days in a week. Seven Confidence 1 2 3 4	
The three components of the Female Athlete Triad are:	Confidence 1 2 3 4
□ disordered eating, anemia, osteoporosis	
anemia, amenorrhea, disordered eating	
S amenorrhea, disordered eating, osteoporosis	
These subsciences and from the triad even	Confidence 1, 2, 2, 4
I nose who can suffer from the triad are: $\Box$ young adult female athletes who have started to menstruate	Confidence 1 2 3 4
S any physically active female	
$\Box$ adolescent female athletes	
Consequences of the triad can affect a female:	Confidence 1 2 3 4
□ while she is still competing	
$\Box$ as long as she remains physically active	
Signs and symptoms of the triad can include (choose all that apply): S dizziness S stress fracture S depression $\Box$ hyperactives fatigue S low hope mineral density. S mealtime anxiety	ity Confidence I 2 3 4
$\Box$ weight gain S irritability S sore throat S abdominal	pain
S knuckle scars S dry hair & skin D hypertension D tachycardia (high	resting heart rate) S amenorrhea (lack
of menstruation)	
Risk factors of the triad include (choose all that apply):	Confidence 1 2 3 4
S chronic dieting S training outside of scheduled practices	
S low self-esteem  participation in strength training	
S competitive nature S feeling pressure to lose weight to improve perfor	mance
Please choose one answer (true, false, or don't know) for the following correctness when answering true or false. Leave the confidence level bla	questions. Indicate the level of confidence you have in your answer's nk when answering don't know.
2 = Somewhat confident	
3 = Confident	
4 = Completely sure	
Example: There are 25 hours in a day.	
True / Paise / Don't know Connidence 1 2 3 4	
an intense fear of gaining weight.	gin for a person's age and neight and Confidence 1 2 3 4
Individuals with bulimia nervosa can be almost any weight and often ex-	perience body image disturbance. True / False / Don't know
	Confidence 1 2 3 4
Amenorrhea involves the absence of three or more consecutive menstrua	l cycles. True / False / Don't know Confidence 1 2 3 4
Oligomenorrhea (six or fewer menstrual cycles per year) is not a major is menstruating in the off-season.	health concern as long as the athlete     True / False / Don't know       Confidence 1     2     3     4
Osteoporosis is characterized by low bone mineral density which affects	overall bone health.True / False / Don't knowConfidence 123
Osteopenia (lesser degree of bone loss than in osteoporosis), like osteopo	cosis, is directly affected by nutrition.True / False / Don't know Confidence 1 2 3 4

Eating disorders can be fatal.	True / False / Don't know Confidence 1 2 3 4
Menstrual dysfunction in a college athlete generally has no bearing later in her adult life.	True / False / Don't know Confidence 1 2 3 4
Because of the impact of running on bone density, bone loss does not occur in many light-weight athletes.	True / False / Don't know Confidence 1 2 3 4
Repeated stress fractures should serve as a warning with regards to low bone mineral density.	True / False / Don't know Confidence 1 2 3 4
Eating disorders are caused exclusively by psychological problems.	True / False / Don't know Confidence 1 2 3 4
If weight is a concern for the health of an athlete or for avoiding injury, giving the athlete a range of acceptable weights or body fat compositions will help her to feel less pressure related to weight control.	True / False / Don't know Confidence 1 2 3 4
Adequate levels of training and nutrition may cause some female athletes to stop menstruating.	True / False / Don't know Confidence 1 2 3 4
College-aged athletes who suffer from low bone density can generally recuperate all bone loss later in life.	True / False / Don't know Confidence 1 2 3 4
An athlete that suffers from the triad will have a sudden, apparent decrease in sport performance.	True / False / Don't know Confidence 1 2 3 4
As a coach, stressing an ideal weight helps an athlete understand how she can perform best in her sport.	True / False / Don't know Confidence 1 2 3 4
Joking comments made by others about one's weight can trigger disordered eating patterns in susceptible athletes.	True / False / Don't know Confidence 1 2 3 4
Once an athlete has a confirmed case of one of the three components of the triad, screening for the other two components should follow.	True / False / Don't know Confidence 1 2 3 4
It is an invasion of the athlete's privacy for the coaching staff to ask if her menstrual cycles are regular.	True / False / Don't know Confidence 1 2 3 4
A coach's influence on the athlete extends to the behaviors and beliefs of the coach regarding weight issues.	True / False / Don't know Confidence 1 2 3 4
Prevention of the triad involves emphasizing to athletes the amount of macro- and micronutrients that they need to compete as opposed to the foods they should avoid.	True / False / Don't know Confidence 1 2 3 4
An efficient and easy way for medical staff to screen for the triad involves using menstrual health history and nutritional history questionnaires.	True / False / Don't know Confidence 1 2 3 4
The coaching staff member or the athletic trainer with the best relationship with the athlete is the person who should intervene when a case of the triad is suspected.	True / False / Don't know Confidence 1 2 3 4
For health reasons, an athlete with a confirmed case of the female athlete triad must stop competing immediately.	True / False / Don't know Confidence 1 2 3 4
When confronted about disordered eating or triad concerns, typically the athlete will be relieved and desire help.	True / False / Don't know Confidence 1 2 3 4
The intervention team should minimally involve a medical physician, dietician, and a psychiatrist or psychologist.	True / False / Don't know Confidence 1 2 3 4
Finally, please complete the following questions about your program, choosing one answer unless otherwise n	oted.
The athletic department currently has a policy in place that specifies what to do when we <i>suspect</i> that an athlete suffers from one or more aspects of the female athlete triad	Yes / No / Don't know
The athletic department currently has a policy in place that specifies what to do with a <i>confirmed</i> case of an athlete with one or more aspects of the female athlete triad.	Yes / No / Don't know
The athletic department currently has a policy in place that specifies what to do when we <i>suspect</i> that an athlete suffers from one or more aspects of the female athlete triad	Yes / No / Don't know
The athletic department currently has a policy in place that specifies what to do with a <i>confirmed</i> case of an athlete with one or more aspects of the female athlete triad.	Yes / No / Don't know
The athletic department provides educational programming for the athletes about the female athlete triad.	Yes / No / Don't know

As a coach, I	Yes / No / Don't know			
Although I d female athlet	Yes / No / Don't know			
I have receiv	Yes / No / Don't know			
I have receiv If so, which o Amenorrh Disordered Osteoporo	Yes / No / Don't know			
Indicate the type of continuing education you take part in at least once a year. (check all that apply in general and specific to the triad)				
General	Related to Triad			
		Athletic department programs		
		NCAA-sponsored programs		
		Review professional journals		
		Review sport/coaching-related magazines		
		Attend professional conferences		
		Read textbooks related to coaching, physiology, nutrition, etc.		
		Consult professionals (sports physician, dietician, etc.)		
		Search/read information online		
		other (please specify)		
🗆 I do not pa	rticipate in any conti	nuing education.		