

University of Texas Rio Grande Valley

ScholarWorks @ UTRGV

---

Chemistry Faculty Publications and  
Presentations

College of Sciences

---

2011

## MICROWAVE-INDUCED INDIUM-CATALYZED SYNTHESIS OF PYRROLE FUSED WITH INDOLINE IN WATER

Dina Abrego

*The University of Texas Rio Grande Valley*

Debasish Bandyopadhyay

*The University of Texas Rio Grande Valley*, [debasish.bandyopadhyay@utrgv.edu](mailto:debasish.bandyopadhyay@utrgv.edu)

Bimal K. Banik

*The University of Texas Rio Grande Valley*

Follow this and additional works at: [https://scholarworks.utrgv.edu/chem\\_fac](https://scholarworks.utrgv.edu/chem_fac)

 Part of the [Chemistry Commons](#)

---

### Recommended Citation

Abrego, D., Bandyopadhyay, D., & Banik, B. K. (2011). MICROWAVE-INDUCED INDIUM-CATALYZED SYNTHESIS OF PYRROLE FUSED WITH INDOLINE IN WATER. *Heterocyclic Letters*, 1(2), 94–95.

This Article is brought to you for free and open access by the College of Sciences at ScholarWorks @ UTRGV. It has been accepted for inclusion in Chemistry Faculty Publications and Presentations by an authorized administrator of ScholarWorks @ UTRGV. For more information, please contact [justin.white@utrgv.edu](mailto:justin.white@utrgv.edu), [william.flores01@utrgv.edu](mailto:william.flores01@utrgv.edu).

**MICROWAVE-INDUCED INDIUM-CATALYZED SYNTHESIS OF PYRROLE FUSED WITH INDOLINE IN WATER**

**Dina Abrego<sup>†</sup>, Debasish Bandyopadhyay, and Bimal K. Banik\***

*Department of Chemistry, The University of Texas-Pan American, 1201 West University Drive, Edinburg, Texas 78539; Phone: 956-665-7841; Fax: 956-665-5006, E-mail: [banik@panam.edu](mailto:banik@panam.edu)*


**Abstract:** An expeditious microwave-induced indium metal-catalyzed synthesis of pyrrole fused with indoline in water is developed by reacting isatin and 4-hydroxyproline.

**Keywords:** Pyrrole, indoline, microwave, catalysis, water

**Introduction:** Pyrroles important classes of compounds with many medicinal activities.<sup>1</sup> For these reasons, many methods for the synthesis of substituted pyrroles are known in the literature.<sup>2a</sup> However, synthesis of pyrroles fused to indoline has not been explored systematically. Conjugate addition reactions have been useful for the synthesis of substituted pyrroles.<sup>2b</sup> These compounds have also be synthesized using various other methods. For example, transition metal intermediates,<sup>2c</sup> reductive couplings,<sup>2d</sup> aza-Wittig reactions,<sup>2e</sup> Paal-Knorr reaction<sup>2f</sup> and multistep operations have been used for the preparation of pyrroles.<sup>3</sup> We describe herein a novel method for the synthesis of substituted pyrroles fused to indole skeleton by microwave-induced indium-catalyzed reaction in water.

**Results and Discussion:** We<sup>4</sup> have demonstrated bismuth nitrate-catalyzed synthesis of pyrroles. The reaction medium of our reaction was slightly acidic. During the course of our investigation on the preparation of diverse organic compounds, we have identified that our work on indium-catalyzed organic transformations can be used to prepare pyrroles fused with an indole, although an aqueous suspension of indium is slightly basic (Scheme 1, 1 to 3). This method is therefore, unique because there are no other methods that describe the preparation of these types of heterocycles by indium metal. Most of methods including our own have used acidic reagents.

### Scheme 1



The keto group of Isatin derivatives (1) is activated. Reaction of 1 with 4-hydroxy proline (2) in the presence of catalytic amount of indium metal in water under microwave irradiation for 5-12 minutes produced 3-pyrrole substituted indole system in 95% yield (3). The use of organic solvents slowed down the reaction. The reaction did not proceed without indium. After many experimentations, it was found that approximately 10 mol% indium metal with 1 mmol substrate in 2 mL water produced the best results. The amino and the carboxy group may undergo a condensation reaction to the highly reactive keto group of the indolinone in the presence of indium in water. This supports that slightly basic indium/water may serve as an activator in catalyzing a number of spontaneous processes and finally can produce pyrrole-substituted indole systems.

**Experimental:** To isatin (1 mmol), hydroxyproline (1 mmol), indium (20 mg) was added water (2 mL) and the reaction mixture was irradiated using a CEM microwave. The reaction was extracted with dichloromethane, washed with saturated sodium chloride solution (10 mL) and dried (Na<sub>2</sub>SO<sub>4</sub>). Pure product (approximately, 90%) was isolated through column chromatography (ethyl acetate/hexane=30/70).

**Conclusion:** In conclusion, we have demonstrated pyrrole-substituted indoles can be prepared using indium metal-catalyzed reaction. Notably this method does not require any acidic reagents. The reaction is rapid, isolation of products is easy and the yields of the products are excellent. In this paper, we have uncovered an interesting role of indium/water for the preparation of important heterocycles. This method has the potential to prepare optically active compounds as described in structure 3.

**Acknowledgements:** We gratefully acknowledge the financial support for this research project from National Institutes of Health-SCORE, 2S06M008038-37).

† Undergraduate Research Participant

#### References:

1. For some biologically active pyrroles. see: (a) J. A. H. Lainton, J. W. Hoffman, B. R. Martin, D. R. Compton, *Tetrahedron Lett.* **36**, 1401(1995); (b) C. Y. De Leon, B. Ganem, *Tetrahedron* **53**, 7731 (1997)
2. For the synthesis of pyrroles. see: (a) T. L. Gilchrist, *J. Chem. Soc. Perkin Trans 1*, 615 (1998); (b) R. K. Dieter, H. Yu, *Org. Lett.* **2**, 2283 (2000); (c) N. Iwasawa, K. Maeyama, M. Saitou, *J. Am. Chem. Soc.* **119**, 1486 (1997); (d) A. Furstner, H. Weintritt, A. Hupperts, *J. Org. Chem.* **60**, 6637 (1995) (e) A. Katritzky, J. Jiang, P.J. Steel, *J. Org. Chem.* **59**, 4551(1994); (f) M. Periasamy, G. Srinivas, P. Bharati, *J. Org. Chem.* **64**, 4204 (1999)
3. J. V. Cooney, W.E. McEwen, *J. Org. Chem.* **46**, 2570 (1981)
4. I. Banik, F. F. Becker, B. K. Banik, *J. Med. Chem.* **46**, 12 (2003) and more references.