

University of Texas Rio Grande Valley

**ScholarWorks @ UTRGV**

---

Health & Biomedical Sciences Faculty  
Publications and Presentations

College of Health Professions

---

7-18-2023

## **Editorial: Physiology and pathology of neuroglia**

Daniel Reyes-Haro

Alejandro Lopez-Juarez

Adrián Rodríguez-Contreras

Follow this and additional works at: [https://scholarworks.utrgv.edu/hbs\\_fac](https://scholarworks.utrgv.edu/hbs_fac)



Part of the [Medicine and Health Sciences Commons](#)

---



## OPEN ACCESS

EDITED AND REVIEWED BY  
Marie-Ève Tremblay,  
University of Victoria, Canada

\*CORRESPONDENCE  
Daniel Reyes-Haro  
✉ dharo@unam.mx

RECEIVED 24 June 2023  
ACCEPTED 07 July 2023  
PUBLISHED 18 July 2023

CITATION  
Reyes-Haro D, López-Juárez A and  
Rodríguez-Contreras A (2023) Editorial:  
Physiology and pathology of neuroglia.  
*Front. Cell. Neurosci.* 17:1246885.  
doi: 10.3389/fncel.2023.1246885

COPYRIGHT  
© 2023 Reyes-Haro, López-Juárez and  
Rodríguez-Contreras. This is an open-access  
article distributed under the terms of the  
[Creative Commons Attribution License \(CC BY\)](#).  
The use, distribution or reproduction in other  
forums is permitted, provided the original  
author(s) and the copyright owner(s) are  
credited and that the original publication in this  
journal is cited, in accordance with accepted  
academic practice. No use, distribution or  
reproduction is permitted which does not  
comply with these terms.

# Editorial: Physiology and pathology of neuroglia

Daniel Reyes-Haro<sup>1\*</sup>, Alejandro López-Juárez<sup>2</sup> and  
Adrián Rodríguez-Contreras<sup>3</sup>

<sup>1</sup>Universidad Nacional Autónoma de México, Instituto de Neurobiología - UNAM, Campus Juriquilla, Juriquilla, QRO, Mexico, <sup>2</sup>Department of Health and Biomedical Sciences, The University of Texas Rio Grande Valley, Brownsville, TX, United States, <sup>3</sup>The Roxelyn and Richard Pepper Department of Communication Sciences and Disorders, School of Communication, Northwestern University, Evanston, IL, United States

## KEYWORDS

**anorexia, Down syndrome, diabetes, Fetal Alcohol Syndrome, pain**

## Editorial on the Research Topic Physiology and pathology of neuroglia

Neuroglia is the largest population of cells in the brain and participates in formation, maintenance, and modulation of synaptic circuits. This heterogeneous group includes macroglia (astroglia and oligodendroglia) and microglia. Neurons and neuroglia form assemblies that potentiate the cognitive capability of the brain. In this topic, nine articles highlight structural and functional roles of neuroglia in brain physiology, which is fundamental to better understand the biology of neurodevelopmental and neurodegenerative diseases.

Our understanding of brain connectivity evolves rapidly and the cytoarchitecture of underexplored brain regions such as the cerebellum need to be revisited (De Zeeuw et al., 2021). Hence, Gómez-González et al. reviewed the organization of a peculiar cerebellar glial niche located at the subventricular zone of the fourth ventricle. In addition to neurons and ependymal cells, this region is rich in microglia as well as macroglia including astrocytes, Bergmann glia, and oligodendrocyte lineage cells. Further transcriptional and functional heterogeneity within these glial populations is discussed. Despite scarce to non-proliferative activity, this region shares similarity with adult neurogenic niches throughout the brain and various stimulating questions remain to be explored. Furthermore, glial organization is adapted to this highly vascularized niche and contribute to the glioneurovascular unit, a structural and functional element where glial cells respond to stimulation by coupling to increased sensory activity through development (Biesecker et al., 2016; Koehler, 2021). In a perspective contributed by Konecny et al., they hypothesize that augmented neuronal activity is associated with angiogenic factor production and creates an environment of intermittent hypoxia, promoting the expression of hypoxia-inducible transcription factors (HIFs) by the glioneurovascular unit. However, mechanisms triggering glioneurovascular coupling during early sensory neurodevelopment are unknown; therefore, further research using non-invasive approaches is proposed.

Neuron-glia coupling is physiologically tied to volume regulation. Ionic gradients permit neurons to communicate electrically, and glial cells help them to regulate volume. Astrocytes express a variety of cotransport systems and ion channels to maintain brain homeostasis through mobilization of osmolytes (Walch and Fiacco, 2022). Ochoa-de la Paz and Gúlias-Cañizo identify glial cells as master regulators of the tripartite synapse volume, a property that gives them an important role in maintaining homeostasis. Dysfunction of volume regulation leads

to pathology in conditions such as edema, uremia, and diabetes, in which solute imbalances occur.

Neuron-glia communication is mediated by neurotransmitters including glutamate, the main excitatory neurotransmitter of the brain. This signaling occurs through ionotropic and metabotropic receptors expressed by neurons and glial cells. Particularly, astrocytes modulate neuronal activity through release of gliotransmitters like glutamate and D-serine (Reyes-Haro et al., 2010). Additionally, astrocytes express glutamate transporters to regulate the glutamatergic tone at the synaptic cleft and supply glutamine to neurons that convert it into glutamate or GABA to refill synaptic vesicles (Martínez-Lozada and Ortega, 2023). Dysfunction of the glutamate-glutamine shuttle results in excitotoxicity that has been linked to Alzheimer's and Huntington's diseases. Thus, Cuellar-Santoyo et al. summarize the astrocyte's contribution to glutamatergic neurotransmission in physiological and pathological conditions.

Astrocytes also respond to neuronal activity with calcium transients, a signaling mechanism that seems involved in pain and nociception (Prokhorenko and Smyth, 2023). Here, Higinio-Rodríguez et al. present an experimentally supported perspective in which coherent activity of astrocytes in pain-related brain areas plays critical roles in binding sensory, affective, and cognitive information, on a slow time scale. As astrocytes respond to noxious stimuli via calcium modulation likely independent of neuronal activation, this could represent the mechanism by which pain is created from nociception with the participation of astrocytes.

Glial cell responses in pathology involve inflammasomes, multi-protein intracellular signaling complexes which orchestrate inflammatory responses to a diverse range of pathogens and host-derived signals (Jewell et al., 2022). In their review article, Mata-Martínez et al., discuss aspects of the inflammatory process, focusing on accumulating evidence of multiprotein complexes that sense and respond in the context of inflammation. The authors argue that acute and chronic inflammation will engage a coordinated molecular response in various organs, involving glial cells in the brain. Interestingly, Down syndrome (DS) and Alzheimer's disease (AD) are characterized by chronic neuroinflammation, peripheral inflammation, astrogliosis, imbalanced excitatory/inhibitory neuronal function, and cognitive deficits in both humans and mouse models (Ahmed et al., 2022). Little is known about the causes of these pathologies, but patients with DS are suspected to be predisposed to developing AD late in life. García and Flores-Aguilar summarize data about glial cells in the context of DS-AD and inflammation.

Links for inflammation and glial cells could also exist in anorexia; food intake is reduced during acute and chronic inflammatory states in human and research models (Gautron and Layé, 2010). Reyes-Haro reviews features of physiological anorexia in research models in comparison with human pathological anorexia, emphasizing valid precautions when extrapolating results. Moreover, he discusses studies in murine models of anorexia in which glial cells putatively play central roles in classical hypothalamic mechanisms, as well as in systemic machineries including the prefrontal cortex. Specifically, the pro-inflammatory environment associated with microglia reactivity, the impact of astrocyte manipulation on food intake associated with purinergic

gliotransmission, and the roles of Oligodendrocyte Precursor Cells (OPCs) mediating the anorexigenic action of leptin in mice, are presented.

Another pathology associated with glial cell dysfunction is alcohol exposure during pregnancy. Fetal Alcohol Syndrome (FAS) is a public health problem with a prevalence of 2–5% in the USA. FAS disturbs the structure and function of the brain, but the underlying mechanisms remain elusive (Holloway et al., 2023). Zheng et al., observed loss of the tubulin-binding cofactor B resulting in disorganized microtubules and shortening of astrocytic processes in a model of chronic alcohol exposure. Developmental pathological implications to consider include abnormal migration of neuronal precursors through aberrant radial glial processes and defective synaptic coverage by astrocytes.

Overall, articles in this topic cover diverse aspects of research on glial cells and serve as introductory information to several subfields of glial biology. Ideas presented encourage others to design studies to clarify the roles of physiological and pathological factors with potential use in therapeutic applications and engineering.

## Author contributions

DR-H, AL-J, and AR-C wrote the original draft and edited the final version of the manuscript. All authors contributed to the article and approved the submitted version.

## Funding

This work was supported by CONAHCYT 319209 and UNAM-DGAPA-PAPIIT (IN209121) to DR-H. NU start-up funds to AR-C.

## Acknowledgments

The editors of this topic are grateful to Bruce Ransom, Alfonso Araque, and Axel Nimmerjahn for participating and promoting the organization of the Symposium on Physiology and Pathology of Neuroglia, a biannual event that is becoming a referent in the field. We are grateful to Teresa Morales and Mauricio Díaz (INB-UNAM), Raúl Paredes and Aurea Orozco (ENES-Juriquilla), and Gerardo Piloni and Yolanda Chirino (Posgrado-UNAM, PAEP-UNAM) for their support. We also appreciate the support of the technical and administrative staff.

## Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

## Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher,

the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by

its manufacturer, is not guaranteed or endorsed by the publisher.

## References

- Ahmed, M. M., Wang, A. C., Elos, M., Chial, H. J., Sillau, S., Solano, D. A., et al. (2022). The innate immune system stimulating cytokine GM-CSF improves learning/memory and interneuron and astrocyte brain pathology in Dp16 Down syndrome mice and improves learning/memory in wild-type mice. *Neurobiol. Dis.* 15, 105694. doi: 10.1016/j.nbd.2022.105694
- Biesecker, K. R., Srien, A. I., Shimoda, A. M., Agarwal, A., Bergles, D. E., Kofuji, P., et al. (2016). Glial cell calcium signaling mediates capillary regulation of blood flow in the retina. *J. Neurosci.* 36, 9435–45. doi: 10.1523/JNEUROSCI.1782-16.2016
- De Zeeuw, C. I., Lisberger, S. G., and Raymond, J. L. (2021). Diversity and dynamism in the cerebellum. *Nat. Neurosci.* 24, 160–167. doi: 10.1038/s41593-020-00754-9
- Gautron, L., and Layé, S. (2010). Neurobiology of inflammation-associated anorexia. *Front. Neurosci.* 3, 59. doi: 10.3389/neuro.23.003.2009
- Holloway, K. N., Douglas, J. C., Rafferty, T. M., Majewska, A. K., Kane, C. J. M., and Drew, P. D. (2023). Ethanol-induced cerebellar transcriptomic changes in a postnatal model of fetal alcohol spectrum disorders: Focus on disease onset. *Front. Neurosci.* 17, 1154637. doi: 10.3389/fnins.2023.1154637
- Jewell, S., Herath, A. M., and Gordon, R. (2022). Inflammasome Activation in Parkinson's Disease. *J. Parkinsons Dis.* 12, S113–S128. doi: 10.3233/JPD-223338
- Koehler, R. C. (2021). Regulation of the cerebral circulation during development. *Compr Physiol.* 11, 2371–2432. doi: 10.1002/cphy.c200028
- Martínez-Lozada, Z., and Ortega, A. (2023). Milestone review: excitatory amino acid transporters - beyond their expected function. *J. Neurochem.* 165, 457–466. doi: 10.1111/jnc.15809
- Prokhorenko, M. A., and Smyth, J. T. (2023). Astrocyte store-operated calcium entry is required for centrally mediated neuropathic pain. *bioRxiv [Preprint]*. doi: 10.1101/2023.06.08.544231
- Reyes-Haro, D., Müller, J., Boresch, M., Pivneva, T., Benedetti, B., Scheller, A., et al. (2010). Neuron-astrocyte interactions in the medial nucleus of the trapezoid body. *J. Gen. Physiol.* 135, 583–94. doi: 10.1085/jgp.200910354
- Walch, E., and Fiacco, T. A. (2022). Honey, I shrunk the extracellular space: measurements and mechanisms of astrocyte swelling. *Glia.* 70, 2013–2031. doi: 10.1002/glia.24224